

# My50



Low Price, High Quality. We reduced the product price.  
But, we did not renounce to quality!

 **FIMAP**<sup>®</sup>

## Available equipment:

STANDARD EQUIPMENT	My50 E	My50 B
<b>Water and detergent management</b>		
Eco On/OFF System* - Water filter	optional	optional
Fast water filling with drip stop	•	•
Water level indicator	•	•
<b>Scrubbing performance</b>		
Squeegee with rubber blades usable on 4 sides	•	•

STANDARD EQUIPMENT	My50 E	My50 B
<b>Comfort</b>		
FNC (FimapNoiseCanceling)	•	•
Fully sanitizable tanks	•	•
On-board battery charger	-	optional
Hour meter	•	•
Battery warning light	-	•
Battery charge level	-	•
Automatic brush coupling and uncoupling	•	•
<b>Safety</b>		
Non-marking wheels	•	•
Squeegee with shock-resistant coupling (BREAK AWAY)	•	•
Dead man's switch	•	•

\* Eco ON/OFF system: automatically stops water flow when the machine is stationary.



# My50

My50 E/B scrubbing machine.  
**AFFORDABLE,**  
because it does not need skilled operators for driving!



**USER FRIENDLY DESIGN**  
No operator training

You can start working with just 3 quick and simple operations!



Fill in the solution tank and  
switch on the machine!



Lower  
the squeegee...



... and start to work!

# My50 E/B scrubbing machine. AFFORDABLE, because it offers more autonomy



Autonomy up to 3 hours with 1 full charge



Non-stop work up to 1 hour and 2.000 sq.m  
with 1 fill of solution



System to adjust water consumption  
according to cleaning needs

My50 E/B scrubbing machine.  
AFFORDABLE,  
thanks to the new squeegee in reinforced plastic.



It is safer, because more  
resistant to impacts and  
**corrosion.**

Automatic squeegee uncoupling when  
accidentally impacted



# My50 E/B scrubbing machine. AFFORDABLE, because it is simple in maintenance operations!

**It can be easily cleaned at the end of cleaning operation, even by untrained operators.  
It is quick to be cleaned!**

The easy identification of the parts involved in the daily maintenance (with yellow colour) ensures all parts' check and sanification at the end of work, guaranteeing the maximum efficiency of the machine



Empty and sanitize...



Clean the filter!



Clean the squeegee!



... recharge!  
(Battery version)

An on-board charger option makes battery re-charging safe and easy (on request)

TECHNICAL DATA		My50 E	My50 B
Productivity theoretical	up to sqm/h	-	1530
Working width	mm	510	510
Disc brushes	(no.) Ø mm	(1) 510	(1) 510
Brush motor	V/W	230/375	24/500
Brush rpm	rpm	135	135
Brush pressure	kg	27,5	27,5
Solution tank	l	35	35
Recovery tank	l	40	40
Suction motor	V/W	230/450	24/410
Vacuum water lift	mbar	104,5	104,5
Supply/traction	V/Hz	230/50	24/semi aut.
Batteries	(no.) V/Ah C5	-	(2) 12/80
Battery run time	up to h	-	2,95
Transport speed	km/h	3	3
Gradeability during transport empty	%	2	2
Machine dimensions (L x h x w)	mm	1165x990x545	1165x990x545
Squeegee width	mm	680-780	680-780
Machine weight empty without batteries	kg	61	61
Batteries weight	kg	-	54
Sound level (ISO 11201)	dB (A)	68,8	68,8

## CERTIFICATIONS



For any additional information or for a demo please contact your usual Fimap dealer



FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy  
Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com

